



## **Managing children who are sick, infectious, or with allergies**

### **Policy statement**

We aim to provide care for healthy children through preventing cross infection of viruses and bacterial infections and promote health through identifying allergies and preventing contact with the allergenic trigger.

### **Procedures for children who are sick or infectious**

- If children appear unwell during the day – for example, if they have a temperature, sickness, diarrhoea or pains, particularly in the head or stomach – our manager call the parents and ask them to collect the child, or to send a known carer to collect the child on their behalf.
- If a child has a temperature, they are kept cool, by removing top clothing and sponging their heads with cool water, but kept away from draughts.
- The child's temperature is taken using a forehead thermometer strip, kept in the first aid box.
- In extreme cases of emergency, an ambulance is called and the parent informed.
- Parents are asked to take their child to the doctor before returning them to the setting; We can refuse admittance to children who have a temperature, sickness and diarrhoea or a contagious infection or disease.
- Where children have been prescribed antibiotics for an infectious illness or complaint, we ask parents to keep them at home for 48 hours before returning to the setting.
- After diarrhoea, we ask parents keep children home for 48 hours following the last episode.
- Some activities, such as sand and water play, and self-serve snacks where there is a risk of cross-contamination may be suspended for the duration of any outbreak.
- We a list of excludable diseases and current exclusion times. The full list is obtainable from
- [www.gov.uk/government/publications/health-protection-in-schools-and-other-childcare-facilities](http://www.gov.uk/government/publications/health-protection-in-schools-and-other-childcare-facilities) and includes common childhood illnesses such as measles.

### **Reporting of 'notifiable diseases'**

- If a child or adult is diagnosed as suffering from a notifiable disease under the Health Protection (Notification) Regulations 2010, the GP will report this to Public Health England.
- When we become aware, or are formally informed of the notifiable disease, our manager informs Ofsted and contacts Public Health England, and acts on any advice given.

### **HIV/AIDS/Hepatitis procedure**

HIV virus, like other viruses such as Hepatitis A, B and C, are spread through body fluids. Hygiene precautions for dealing with body fluids are the same for all children and adults. we:

- Wear single-use vinyl gloves and aprons when changing children's nappies, pants and clothing that are soiled with blood, urine, faeces or vomit.
- Bag soiled clothing for parents to take home for cleaning.



- Clear spills of blood, urine, faeces or vomit using mild disinfectant solution and mops; any cloths used are disposed of with the clinical waste.
- Clean any tables and other furniture, furnishings or toys affected by blood, urine, faeces or vomit using a disinfectant.
- Ensure that children do not share tooth brushes, which are also soaked weekly in sterilising solution.

### **Nits and head lice**

- Nits and head lice are not an excludable condition; although in exceptional cases we may ask a parent to keep the child away until the infestation has cleared.
- On identifying cases of head lice, we inform all parents ask them to treat their child and all the family if they are found to have head lice.

### **Procedures for children with allergies**

- When children start at the setting we ask their parents if their child suffers from any known allergies. This is recorded on the Registration Form.
- If a child has an allergy, we complete a risk assessment form to detail the following:
  - The allergen (i.e. the substance, material or living creature the child is allergic to such as nuts, eggs, bee stings, cats etc).
  - The nature of the allergic reactions (e.g. anaphylactic shock reaction, including rash, reddening of skin, swelling, breathing problems etc).
  - What to do in case of allergic reactions, any medication used and how it is to be used (e.g. Epipen).
  - Control measures - such as how the child can be prevented from contact with the allergen.
  - Review measures.
- This risk assessment form is kept in the child's personal file and a copy is displayed where our staff can see it.
- A health care plan will also be completed.
- Generally, no nuts or nut products are used within the setting.
- Parents are made aware so that no nut or nut products are accidentally brought in, for example to a party.
- At all times we ensure that the administration of medication is compliant with the Safeguarding and Welfare Requirements of the Early Years Foundation Stage.

### **Oral medication:**

- Asthma inhalers are now regarded as 'oral medication' by insurers and so documents do not need to be forwarded to [our/my] insurance provider. Oral medications must be prescribed by a GP or have manufacturer's instructions clearly written on them.
- We must be provided with clear written instructions on how to administer such medication.  
We adhere to all risk assessment procedures for the correct storage and administration of the medication.
- We must have the parents or guardians prior written consent. This consent must be kept on file. It is not necessary to forward copy documents to our insurance provider.
- Life-saving medication and invasive treatments:



These include adrenaline injections (Epipens) for anaphylactic shock reactions (caused by allergies to nuts, eggs etc) or invasive treatments such as rectal administration of Diazepam (for epilepsy).

- We must have:
  - a letter/care plan from the child's GP/consultant stating the child's condition and what medication if any is to be administered;
  - written consent from the parent or guardian allowing our staff to administer medication; and
  - proof of training in the administration of such medication by the child's GP, a district nurse, children's nurse specialist or a community paediatric nurse.

**Treatments, such as inhalers or Epipens are immediately accessible in an emergency.**

- Key person for special needs children requiring assistance with tubes to help them with everyday living e.g. breathing apparatus, to take nourishment, colostomy bags etc.:
  - Prior written consent must be obtained from the child's parent or guardian to give treatment and/or medication prescribed by the child's GP.
  - The key person must have the relevant medical training/experience, which may include receiving appropriate instructions from parents or guardians.

- **Reviewed: August 2024**